

# Khronos Group Conformance Process

## 1. Change History

- **February 2007** Generic process document with Specification specifics contained in Attachments
- **July 2007** Added OpenKODE Attachment D, Adoption is made independent of membership
- **August 2007** Clarified that number of submissions is unlimited
- **V1 - November 2007** Corrected bug fix versioning numbering in Test Code Source Package, clarified OpenGL ES fees
- **V2 – February 2008** Updates to OpenKODE submission package in Attachment D
- **V3 – May 2008** Added OpenGL ES 2.0 in Attachment A
- **V4 – October 2008** Added OpenGL SC Attachment E, updated OpenGL ES Attachment A, added Submission Alterations, added ability to extend Review Period
- **V5 – May 2009** Clarified Review Committee terminology and process, moved press release wording to external trademark guidelines, added ability to request subcontractor anonymity, removed flow down from system to component conformance, updated OpenVG attachment to 1.1, inserted older OpenGL ES test process into Attachment AA, Added OpenCL 1.0 and OpenSL ES 1.0 in Attachments F and G
- **V6 – October 2010** Added OpenMAX AL in attachment H, COLLADA in Attachment I and OpenWF in Attachment J. Updated Attachment F to include OpenCL 1.1. Added Reference Submissions. Updated OpenSL ES Profile logos
- **V7 – February 2011** OpenCL 1.2 added to Attachment F

## 2. Definitions

**“Adopters”** means entities that have executed the Adopters Agreement for the Specification regardless of whether that party is a current Promoter or Contributor of Khronos;

**“Adopters Agreement”** means the Khronos contract to provide a) access to the Adopters Package; b) the right to make Submissions under the Process; and c) a license to use the Marks for Conformant Products;

**“Adopters Mailing List”** means a mailing list that is subscribed to by all current Adopters for the Specification and used for notices to Adopters and discussion threads related to conformance;

**“Adopters Package”** means the complete set of source code and other materials received by Adopters to enable them to follow the Process;

**“Associated Working Group”** means the Khronos working group controlling the specification being tested in a Submission;

**“Board”** means the Khronos Board of Promoters

**“Conformant Implementation”** means an Implementation with a Successful Submission;

**“Conformant Product Criteria”** means the criteria by which products may be associated with a Conformant Implementation as defined in the Specification Attachment;

**“Conformant Products”** means the products identified in the Submission that comply with the Conformant Product Criteria and so may use the Marks;

**“Implementation”** means the specific implementation of the Specification being tested;

**“Marks”** means the trademarks associated with the Specification as defined in the Specification Attachment;

**“Paid Specification Version”** means the latest version of the Specification for which an Adopter has executed an Adopters Agreement;

**“Passing Criteria”** means the criteria by which an Implementation is deemed to have successfully passed the Tests – as defined in the Specification Attachment. Khronos may change the Passing Criteria at any time, but such changes shall not invalidate previously Successful Submissions or Submissions in their Review Period;

**“Process”** means the process defined in this document by which products may be tested for conformance with the Specification;

**“Process Document”** means this document that defines the Khronos Conformance Process;

**“Review Notice”** means a written notice sent to an Adopter to identify any issues related to a Submission;

**“Review Period”** means the period defined in the Specification Attachment during which Submissions are subject to peer review;

**“Reviewers”** means any Adopters plus any Khronos Promoters and Contributors who have signed the Khronos Conformance Test Source License Agreement;

**“Specification”** means the Khronos specification or specifications identified in an executed Adopters Agreement;

**“Specification Attachment”** means the Attachment to this Process Document that defines the process details specific to the Specification;

**“Submission”** means a complete set of results created by performing the Tests on an Implementation according to the Process and which are passed to Khronos;

**“Submission Alteration”** means an alteration to a Successful Submission passed to Khronos to correct factual errors discovered in the Submission;

**“Submission Correction”** means a correction to a Submission or Submission Update currently in its Review Period;

**“Submission Update”** means an update to a Successful Submission passed to Khronos to add additional Conformant Products to the Submission;

**“Submission Package”** means the data to be included in a Submission as defined in the Specification Attachment;

**“Submission Repository”** means the Khronos online upload area for Submissions;

**“Successful Submission”** means a Submission that has followed the Process and is deemed to pass the Tests;

**“Tests”** means the Conformance Tests created by Khronos for the Specification;

**“Waiver Statement”** means a written identification and description of a potential bug in the Tests and the source code change used to fix the bug.

### **3. Purpose**

Khronos has created Tests and associated Process for the Specification to promote consistent multi-vendor implementations and to create an objective definition of conformance for the Specification so that only Conformant Products may use the Marks.

### **4. Conformance Fees**

All Adopters pay a Conformance Fee as defined in the Specification Attachment on execution of the Adopters Agreement. Access to the Adopters Package for a Specification shall not be provided unless the Conformance Fees for that Specification have been received by Khronos. No refunds shall be provided for Conformance Fees under any circumstances. If Conformance Fees are changed, those changes will not be charged retrospectively.

Executing the Adopters Agreement sets the Adopters Paid Specification Version at the version of Specification defined in the Adopters Agreement and there is no limit on the number of Submissions for Implementations that implement any version of the Specification up to and including the Paid Specification Version. Khronos may offer discounted Conformance Fees for Khronos members or existing Adopters to upgrade their Paid Specification Version from a previous level.

When a new major release of the Specification is released by Khronos the Adopters Package will be updated with the Tests for the new Specification version. Adopters may continue to use the Adopters Package for Submissions up to their Paid Specification Version. Use of the Adopters Package for versions beyond the Paid Specification Version may require the execution of a new version of the Adopters Agreement and payment of additional Conformance Fees depending on the nature and content of the update. In general, bug fixes and minor updates will typically be covered by the current Adopters Agreement and will not incur additional Conformance Fees.

Adopters are provided access to the Adopters Package on a password protected section of the Khronos web-site and are enabled to make an unlimited number of Submissions for any number of Implementations using any version of the Specification up to the Paid Specification Version.

If a party wishes to gain access to the Adopters Package solely to act as a subcontractor to another Adopter without any rights to make a Submission on its own behalf, then that party must sign the Adopters Agreement, but the Conformance Fees may be waived if the contracting Adopter and contracted Adopter both sign the Subcontractor Warranty contained in Attachment B of the Adopters Agreement and the waiver of fees is approved by the Board. The contracting Adopter may request to the Board to keep the identity of the contracted Adopter confidential from other Khronos members, which permission shall be granted at the sole discretion of the Board.

### **5. Test and Process Updates**

Khronos may update this Process, the Tests or other parts of the Adopters Package, including the Conformant Product Criteria, for subsequent Submissions at any time at its sole discretion. Such updates shall not invalidate previously Successful Submissions and Conformant Products, or Submissions, Submission Updates and Conformant Products identified in Submissions in their Review Period.

Khronos may provide pre-release versions of a new version of the Adopters Package to all Adopters for feedback at its discretion and will announce the posting of a new version of the Adopters Package on the Adopters Mailing list at least one week before its release.

Khronos will make all previously released versions of the Adopters Packages, Process Document and Specification Attachments for all released versions of the Specification available to Adopters. Adopters may use any version of the Tests but are strongly encouraged to use the latest version. The Adopters Package, Process Document and Specification Attachment used in a Submission must be, or have been, current at the same time.

## 6. Conformance Test Source and Porting

The source code format for the Tests is defined in the Specification Attachment. The Tests are provided as is and the Adopter is responsible for porting and running the Tests on the Implementation to generate the necessary information for a Submission. Khronos cannot provide any support for porting Tests. All modifications made to the Tests source code are licensed back to Khronos for its unrestricted use.

The Adopter should make no changes to the source code that disable or change the intended operation of any test unless the Adopter identifies a potential bug in a test. Source code changes to work around implementation limitations and bugs are not permitted. In the case of potential bugs the Adopter must change the test source, submit a Waiver Statement, which outlines changes made to the test source and for what reason, for each potential bug and include any changed source code.

Adopters are encouraged to submit into Khronos' Bugzilla suggested changes to Khronos header files that would potentially increase portability.

## 7. Submissions

Once the Tests run on the Implementation, and satisfy the Passing Criteria, an Adopter may create a Submission and upload it to the Submission Repository.

Khronos shall distribute an email to the Specification Working Group mailing list and the Adopters mailing list when a Submission is made to start the Review Period for that Submission.

A Submission shall contain a Submission Package which contains the information below with additions and subtractions from the information below as defined in the API attachment:

- The version of the Specification being tested;
- The release date of the Tarball, Tests, Process Document and Specification Attachment that were used;
- A statement of conformance in which the Adopter lists Conformant Products that are certified by the Adopter to be covered by this Implementation;
- All bugs and associated Waiver Statements which should be loaded into Khronos Bugzilla bug-tracking system;
- All changed source – that should be checked into the Adopters Branch of the Khronos Subversion server or as part of the Submission Package as defined in the Specification Attachment;
- All make files used to build the conformance tests for the Implementation as defined in the Specification Attachment;
- Contact details at the Adopter for any questions or Review Notices for this Submission.

## 8. Reference Submissions

An Adopter may make a Reference Submission for a product that integrates a conformant implementation that is covered by an existing Submission. A Reference Submission contains:

- The number of a successful Submission for the integrated implementation. The referenced Submission may have been submitted by a different Adopter;
- A statement of conformance in which the Adopter lists additional Conformant Products that are certified by the Adopter to be covered by the referenced Submission;
- Contact details at the Adopter for any questions or Review Notices for this Submission.

## 9. Submission Alterations, Updates, Corrections and Deletions

Successful Submissions and Reference Submissions may be altered using a Submission Alteration or updated using a Submission Update. All Submission Alterations and Submission Updates undergo the same review process as a Submission.

Submission Updates are used to add Conformant Products associated with a Conformant Implementation. Any updated Submissions shall continue to be available on the Submission Repository to maintain a complete record of Submission dates, but marked as updated once a Submission Update is successful.

Submission Alterations are used to correct factual errors discovered in Successful Submissions. Proposed alterations may request deletion of a Successful Submission from the Submission Repository or request changes to be made to a Successful Submission and any related updated Submissions. A Submission Alteration must include the affected Submission numbers; all requested changes; and must be accompanied by a Submission Package if appropriate.

While a Submission, Submission Alteration or Submission Update is in its Review Period, the submitting Adopter may make a Submission Correction, replacing the original Submission, Submission Alteration or Submission Update and restarting the Review Period, or may delete the Submission, Submission Alteration or Submission Update entirely.

## 10. Submission Review Process

All Submissions, Reference Submissions, Submission Alterations and Submission Updates are available for inspection by all Reviewers for the Review Period during which time any Reviewer may raise a Review Notice for any issues related with a Submission including but not limited to:

- Submission does not satisfy the Passing Criteria;
- An invalid combination of Tests, Process Document and Specification Attachment;
- Inappropriate source changes to the Tests;
- Incorrect reporting of results;
- Inappropriate promotion of back doors and non-conformance that are not in the best interest of the Specification's standing in the industry or against the spirit of the Process;
- Bugs in the Tests that materially affect the success of a Submission;
- Inappropriate association of Conformant Products with an Implementation.

On the receipt of a Review Notice, or on the Agreement of the Associated Working Group, the Associated Working Group shall appoint a Review Committee consisting of at least five Reviewers other than the submitting Adopter to resolve any Review Notices as follows:

- A designated Reviewer should make direct contact with a submitting Adopter and make all reasonable efforts to clearly identify any concerns;
- If changes are agreed, the submitting Adopter may make a Submission Correction to correct the Review Notice;
- If Reviewer and Adopter do not agree on the need for a Submission Correction then the Review Committee shall take all available information under consideration and determine by majority vote (50% or more of the Review Committee members) whether the Submission needs a Correction;
- The Review Committee may extend a Review Period if the submitting Adopter does not respond to any concerns in a timely way or the Review Committee needs more time to resolve The Review Notice. The Review Committee must notify the Board immediately of an Review Period extension and the Board may decide to adjust the extension period in its sole discretion;
- If the Submitter feels that the Review Notice is being incorrectly applied it may request the Board to make a final decision, through its normal voting process, on the validity of the Submission. In this case the Review Period will be extended until the Board reaches a decision;
- If the Review Committee does not resolve a Review Notice or extend the Review Period within a Review Period then the Submission, Submission Update or Submission Alteration shall be deemed successful.

A Review Committee may recommend to the associated Working Group to waive the remainder of a Review Period if there are no outstanding issues relating to a Submission or Submission Update. A Successful Submission enables the Implementation to be deemed to be a Conformant Implementation and any Conformant Products may use the Marks.

## **11. Conformant Products**

A Conformant Implementation may demonstrate conformance for a number of Conformant Products that fall within the Conformant Product Criteria in the Specification Attachment.

Submissions for test and prototype Implementations are acceptable if an Adopter wishes to demonstrate conformance and use the trademark for that Implementation.

## **12. External Feedback**

Khronos shall create a public forum and encourage any Promoter, Contributor, Adopter or external entity to make suggestions to Khronos on how the Tests and Process may be improved, and identify issues that are negatively affecting the effectiveness of Tests.

All received comments shall be passed to Khronos and the Associated Working Group that shall take any appropriate action, entirely at their own discretion.

## **13. Trademark Guidelines**

Adopters shall use the Marks in accordance with the current standard trademark use guidelines issued by Khronos, and currently located at [http://www.khronos.org/trademark\\_guidelines](http://www.khronos.org/trademark_guidelines).

# Attachment A

## OpenGL ES Conformance Process Details

### A1. Change History and Version

- **February 2007** – first version attached to generic process document
- **May 2008** - added process for OpenGL ES 2.X conformance testing; restructured and clarified Conformance Fees and source code packaging
- **October 2008** – updated process for OpenGL ES 1.X conformance testing for compatibility with version 2 of the test.
- **January 2009** – added reference to Attachment AA for older version of the tests

### A2. Paid Specification Versions Covered

Any version of OpenGL ES 1.X up to version OpenGL ES 1.1 and any version of OpenGL ES 2.X up to version OpenGL ES 2.0 - including minor release updates. Minor release updates include any specifications with names of the form OpenGL ES 1.1.X or OpenGL ES 2.0.X for any integer X.

This Attachment A does not cover the conformance process for the oldest version of the OpenGL ES 1.1 conformance test (prior to 5 November 2008). That process is described in Attachment AA. Adopters should use a more recent version of the tests if possible.

### A3. Conformance Fees

Conformance Fees for each version of the Specification are given in the table below. Note that Fees for a given version automatically include Fees for all previous versions. New Adopters pay the Nonmember Base Fee for the version they are adopting. Adopters that are Contributing or Promoting Members of Khronos pay the Member Base Fee, which is discounted by \$5K from the Nonmember Base Fee. Adopters who paid OpenGL ES 1.0 Conformance Fees under a previous version of the Process receive an additional discount equal to the amount of OpenGL ES 1.0 Conformance Fees paid. Adopters who have already paid OpenGL ES 1.1 Conformance Fees receive a discount of \$6K against OpenGL ES 2.0 Conformance Fees.

	<b>Base Conformance Fee (Nonmember)</b>	<b>Base Conformance Fee (Member)</b>	<b>Upgrade Conformance Fee</b>
<b>OpenGL ES 1.X up to OpenGL ES 1.1</b>	\$15K	\$10K	From 1.0: Base Fee minus paid 1.0 Fees
<b>OpenGL ES 1.X and OpenGL ES 2.X up to OpenGL ES 2.0</b>	\$19K	\$14K	From 1.0: Base Fee minus paid 1.0 Fees. From 1.1: Base Fee minus \$6K.

## A4. Test Source Code Packaging

The source code for the OpenGL ES Conformance Tests is packaged in a gnu-zipped tar file. The file name has the format: ESCTS-<X.Y>.<Z>.<W> -<year><month><day>.tgz. Here <X.Y> is the version of the OpenGL ES Specification to which the test applies, <Z> is the major revision number of the conformance test, and <W> is the minor revision number of the test. Changes in minor revision number reflect changes intended to correct bugs or improve portability and maintainability of the tests. Changes in major revision number reflect changes that significantly expand test coverage and/or impose stricter Passing Criteria. For example, a test labeled ESCTS-2.0.1.0-20080512.tgz applies to OpenGL ES 2.0, and is version 1.0 of the conformance test, released on May 12<sup>th</sup>, 2008.

When a new test release is created, a tag is added to the conformance test Subversion (SVN) repository so that Adopters who wish to can sync the SVN tree against a particular bugfix release. The SVN tag for a release has the same name as the .tgz file, without the .tgz extension.

As specified in Section 5 of the Conformance Process Document, Adopters may make Submissions using any version of the Tests and Process, but are encouraged to use the most recent version that their implementations are able to pass.

All versions of the OpenGL ES 2.X, and all versions of the OpenGL ES 1.X source code tree except the first, contain a top-level file referred to in this document as “the README file”. Those files define Submission Package format and Passing Criteria, and provide detailed instructions for porting the tests and running them to generate conformance results. The file in the OpenGL ES 2.X source tree is named ES2\_Readme.pdf, and is in PDF format. The file in the OpenGL ES 1.X source tree is an ASCII text file named README.

## A5. Submission Package

The format and contents of a valid Submission Package are defined in the SUBMISSION PACKAGE section of the README file contained in the source code distribution.

## A6. Passing Criteria

A Conformant Implementation must satisfy the requirements specified in the EXECUTION and PASSING CRITERIA sections of the README file contained in the source code distribution.

## A7. Review Period

30 Days

## A8. Conformant Product Criteria

Implementations claimed as Conformant Products must be similar to the Conformant Implementation in the following ways:

- the identical rendering pipeline – i.e. identical binaries and/or accelerator data path to the display, or if a JIT compiler is used to generate binaries then the use of the identical JIT compiler binary, or new versions of the binaries and/or accelerator data path or JIT compiler binary that do not cause any previously passing test to fail;
- the same major version of the same OS that uses substantially similar display functionality or minor version updates to the OS that do not cause any previously passing test to fail;

- the identical set, or a subset, of supported configs. Different display resolutions are permitted.

## A9. Marks and Usage Guidelines

The following usage guidelines must be followed for any use of the Marks below:

- “®” must be used as shown with the first use of the written Mark in a document
- the following text must be included in each document that uses the Marks: “OpenGL is a registered trademark and the OpenGL ES logo is a trademark of Silicon Graphics Inc. used by permission by Khronos.”

(i) OpenGL® ES

(ii) OpenGL ES Logo:



# Attachment AA

## OpenGL ES 1.1 Conformance Process Details

### AA1. Change History and Version

- January 2009 – Inserted to cover older version of OpenGL ES 1.1 tests

### AA2. Paid Specification Versions Covered

*This Attachment covers only the conformance process for the oldest version of the OpenGL ES 1.1 conformance test (prior to 5 November 2008). All Adopters are strongly urged to use a more recent version of the test if possible, with the process described in Attachment A.*

### AA3. Conformance Fees

As per attachment A.

### AA4. Test Source Code Packaging

The source code for the Tests is packaged in a gnu-zipped tar file. It is named using the following format: conformes-`<OpenGL-ES version>r<revision number>-<year><month><day>.tgz`. The revision number is incremented for every bug fix release of the Tests targeted at a specific version of the Specification. When the tar file is made, a tag is added to the conformance test SVN repository so that Adopters can sync the SVN tree against a particular bugfix release. The SVN tags use the following format: OGLES-`<major version>-<minor version>-rev<version number>`.

### AA5. Submission Package

A Submission must contain the information defined in the Submission section of the process document PLUS all of the following Specification specific information:

- Identification of the Implementation including: the CPU running the Specification, the OS, the Specification pipeline and display configuration – including version numbers;
- The result log (output) for the executed tests, run in the order and with the parameters specified in the "EXECUTION" section of the "README" file located at the top level of the conformance test source tree;
- The complete source of the executed tests together with an annotated diff file containing any source changes packaged as a ZIP archive file (.zip) or gnuzip compressed tarball (.tar.gz) rooted at the top level of the conformance test source tree in the same way as the distributed tarball, with all generated files such as objects and libraries removed, and with a README-`<company name>` at the top summarizing the changed files. The annotations should make it clear what changes have been made and for what reason;
- The result log, README-`<company name>`, and statement of conformance must each be plain text files readable in a simple text editor.

A Submission for an Implementation of the Common Profile must contain two result logs and all necessary source updates following execution of the Tests on both the Common and Common-Lite libraries. A Submission for an Implementation of the Common-Lite Profile need only contain a single result log and source updates following execution of the Tests on the Common-Lite library.

## AA6. Passing Criteria

A conforming config must unconditionally pass the "covgl", "covegl", and "primtest" tests as well as all tests in the "Must Pass" test group of "conform", and may fail no more than 7 (seven) "conform" tests in any other test group at any single path level.

A Conformant Implementation must: include at least one conformant config; the ratio of conformant configs to non-conformant configs must be equal to or greater than 1 (one); and there must be one or more conformant configs with a Z buffer of at least 15-bit depth.

## AA7. Review Period

As per Attachment A.

## AA8. Conformant Product Criteria

Conformant Products must be similar to the Conformant Implementation in the following ways:

- the identical Specification pipeline – i.e. identical binaries and/or accelerator data path to the display, or if a JIT compiler is used to generate binaries then the use of the identical JIT compiler binary, or new versions of the binaries and/or accelerator data path or JIT compiler binary that do not cause any previously passing test to fail;
- the same major version of the same OS that uses substantially similar display functionality or minor version updates to the OS that do not cause any previously passing test to fail;
- the identical set, or a subset, of supported configs. Different display resolutions are permitted.

## AA9. Marks and Usage Guidelines

As per Attachment A.

# Attachment B

## OpenMAX IL Conformance Process Details

### B1. Change History and Version

- February 2007 – first release

### B2. Paid Specification Versions Covered

Up to OpenMAX IL 1.1 including minor release updates (i.e. OpenMAX IL 1.1.1 / 1.1.2 etc. are covered).

### B3. Conformance Fees

The Conformance Fee for each version of the Specification is below – for Adopters that are not Contributors or Promoters of Khronos – these fees shall be increased by \$5K:

	Conformance Fee	Upgrade Conformance Fee
Any version of OpenMAX up to OpenMAX IL 1.1	\$10K	NA

### B4. Tests Source Code Packaging

The source code for the Tests is packaged in a gnu-zipped tar file. It is named using the following format: conformes-`<OpenMAX-IL version>r<revision number>-<year><month><day>.tgz`. The revision number is incremented for every bug fix release of the Tests targeted at a specific version of the Specification. When the tar file is made, a tag is added to the conformance test SVN repository so that Adopters can sync the SVN tree against a particular bugfix release. The SVN tags use the following format: `OMXIL-<major version>-<minor version>-rev<version number>`.

### B5. Submission Package

A Submission must contain the information defined in the Submission section of the process document PLUS all of the following Specification specific information:

- Identification of the Implementation including: the CPU running the Specification, the OS and the Specification pipeline – including version numbers;
- The result log (output) for the executed tests, run in the order and with the parameters specified in the "EXECUTION" section of the "README" file located at the top level of the conformance test source tree;
- The complete source of the executed tests together with an annotated diff file containing any source changes packaged as a ZIP archive file (.zip) or gnuzip compressed tarball (.tar.gz) rooted at the top level of the conformance test source tree in the same way as the distributed tarball, with all generated files such as objects and libraries removed, and with a README-`<company name>` at the top summarizing the changed files. The annotations should make it clear what changes have been made and for what reason;
- The result log, README-`<company name>`, and statement of conformance must each be plain text files readable in a simple text editor;

## B6. Passing Criteria

A conforming config must unconditionally pass the “base profile” tests as well as all tests in the “standard component” test group representative of claimed standard roles (if any). A conforming config claiming “interop” must also unconditionally pass the “interop profile” tests.

## B7. Review Period

30 Days

## B8. Conformant Product Criteria

Conformant Products must be similar to the Conformant Implementation in the following ways:

- the identical Specification implementation, i.e. identical binaries and/or accelerator data path to the component output, or new versions of the binaries and/or accelerator data path that do not cause any previously passing test to fail;
- the same major version of the same OS that uses substantially similar media processing functionality, or minor version updates to the OS that do not cause any previously passing test to fail.

## B9. Marks and Usage Guidelines

The following usage guidelines must be followed for any use of the Marks below:

- “™” must be used as shown with the first use of the written Mark in a document;
- the following text must be included in each document that uses the Marks: “OpenMAX and the OpenMAX logo are trademarks of the Khronos Group Inc.”

(i) OpenMAX™ IL

(ii) OpenMAX Logo:



(iii) OpenMAX IL Logo:



# Attachment C

## OpenVG Conformance Process Details

### C1. Change History and Version

- February 2007 – first release
- January 2009 – updated for OpenVG 1.1

### C2. Paid Specification Versions Covered

OpenVG 1.0 and OpenVG 1.1 including minor release updates (i.e. OpenVG 1.0.1 / 1.0.2, OpenVG 1.1.1 / 1.1.2 etc. are covered).

### C3. Conformance Fees

The Conformance Fee for each version of the Specification is below – for Adopters that are not Contributors or Promoters of Khronos – these fees shall be increased by \$5K:

	Conformance Fee	Upgrade Conformance Fee
OpenVG 1.0 and OpenVG 1.1	\$10K	\$5K

### C4. Tests Source Code Packaging

The source code for the Tests is packaged in a gnu-zipped tar file. It is named using the following format: conformvg-`<OpenVG version>r<revision number>-<year><month><day>.tgz`. The revision number is incremented for every bug fix release of the Tests targeted at a specific version of the API. When the tar file is made, a tag is added to the conformance test SVN repository so that Adopters can sync the SVN tree against a particular bugfix release. The SVN tags use the following format: OVG-`<major version>-<minor version>-rev<version number>`.

### C5. Submission Package

A Submission must contain the information defined in the Submission section of the process document PLUS all of the following Specification specific information:

- The version of the API being tested and the revision and date of the conformance tests that were used, the CPU running the API, the OS, the API pipeline and display configuration, and supported surface formats and color spaces – including version numbers - used in the Implementation
- The result log (output) for the executed tests, run in the order and with the parameters specified in the "EXECUTION" section of the "README" file located at the top level of the conformance test source tree;
- The complete set of results (images) produced by executed tests;
- The complete source of the executed tests together with an annotated diff file containing any source changes Adopters Packaged as a ZIP archive file (.zip) or gnuzip compressed tarball (.tar.gz) rooted at the top level of the conformance test source tree in the same way as the distributed tarball, with all generated files such as objects and libraries removed, and with a README-`<company name>` at the top summarizing the changed files. The annotations should make it clear what changes have been made and for what reason;

- All make files used to build the conformance tests for the Implementation;
- The result log, README-<company name>, and statement of conformance must each be plain text files readable in a simple text editor;

## C6. Passing Criteria

The conformance test suite consists of over 300 test cases, grouped into 12 groups of tests. Conformant implementation must pass all test cases.

### Definitions

- A VG-Supporting EGL config is one whose EGL\_RENDERABLE\_TYPE attribute contains EGL\_OPENVG\_BIT.
- A VG-Conformant config is a VG-Supporting config whose EGL\_CONFORMANT attribute contains EGL\_OPENVG\_BIT.
- A VG-Nonconformant config is a VG-Supporting config which is not VG-Conformant.

OpenVG conformance has been designed to be a 'Must Pass' procedure. For each VG-Conformant EGL config, the tests will be run against each valid combination of EGL\_VG\_COLORSPACE and EGL\_VG\_ALPHA\_FORMAT allowed by the EGL\_SURFACE\_TYPE attribute of that config. All combinations must unconditionally pass all tests in order for the config to pass conformance.

A Conformant Implementation must include at least one VG-Conformant EGL config. All VG-Conformant configs must pass the conformance tests. Finally, the ratio of VG-Conformant configs to VG-Nonconformant configs must be equal to or greater than 1 (one).

For OpenVG implementations not exporting EGL, whatever alternate method the implementation uses to describe pixel formats (aka "non-EGL configs") must satisfy these properties:

- A non-EGL config must unconditionally pass all tests under all combinations of attributes defined by that config which affect the OpenVG implementation in order for that config to pass conformance.
- If a mechanism exists for a non-EGL config to describe whether or not it is conformant, and that mechanism claims the config is conformant, then the config must pass conformance.
- A Conformant implementation must include at least one conformant non-EGL config, and the ratio of configs passing conformance to configs not passing conformance must be greater than or equal to 1 (one).

## C7. Review Period

30 Days

## C8. Conformant Product Criteria

Conformant Products must be similar to the Conformant Implementation in the following ways:

- the identical Specification pipeline – i.e. identical binaries and/or accelerator data path to the display, or if a JIT compiler is used to generate binaries then the use of the identical JIT compiler binary, or new versions of the binaries and/or accelerator data path or JIT compiler binary that do not cause any previously passing test to fail;

- the same major version of the same OS that uses substantially similar display functionality or minor version updates to the OS that do not cause any previously passing test to fail;
- the identical set, or a subset, of supported configs. Different display resolutions are permitted.

## C9. Marks and Usage Guidelines

The following usage guidelines must be followed for any use of the Marks below:

- "™" must be used as shown with the first use of the written Mark in a document
- the following text must be included in each document that uses the Marks: "OpenVG and the OpenVG logo are trademarks of the Khronos Group Inc."

(i) OpenVG™

(ii) OpenVG Logo:



# Attachment D

## OpenKODE Conformance Process Details

### D1. Change History and Version

- February 2008 – first release

### D2. Paid Specification Versions Covered

OpenKODE 1.0 Provisional 1.0 (any revision) and OpenKODE 1.0 including minor release updates (i.e. OpenKODE 1.0.1 / 1.0.2 etc. are covered).

Note that when tests for finalized OpenKODE 1.0 are released, any tests for provisional versions of the OpenKODE specification will be invalidated – and may not be used in any Submissions for OpenKODE 1.0 or later.

### D3. Conformance Fees

The Conformance Fee for each version of the Specification is below – for Adopters that are not Contributors or Promoters of Khronos – these fees shall be increased by \$5K:

	Conformance Fee	Upgrade Conformance Fee
<b>OpenKODE 1.0 Provisional (any revision) and OpenKODE 1.0</b>	\$10K	NA

### D4. Tests Source Code Packaging

The source code for the Tests is packaged in a gnu-zipped tar file. It is named using the following format: conformkode-<OpenKODE version>r<revision number>-<year><month><day>.tgz. The revision number is incremented for every bug fix release of the Tests targeted at a specific version of OpenKODE. When the tar file is made, a tag is added to the conformance test SVN repository so that Adopters can sync the SVN tree against a particular bugfix release. The SVN tag of a particular revision of the Tests has the same name as the gnu-zipped tar file, without the .tgz extension.

### D5. Submission Package

A Submission must contain the following information contained in the top level directory of a zip file:

- Submission information in a file called “submission\_details.txt” in the format defined in the OpenKODE Implementation Details Template document “submission\_details\_template.txt”;
- A file called “build\_information.txt” listing any source files changed to fix bugs and summarizing the build procedure. Any detailed build information or make files are optional, but build information for the Conformance Tests may be submitted to clarify the submission and reduce the chance for queries and delays;
- A folder containing the source of all tests edited to fix bugs, with all generated files such as objects and libraries removed, together with annotated diff files making it clear what changes have been made and for what reason;
- The submission\_details.txt and build\_information.txt files must each be plain text files readable in a simple text editor;

- All result logs for all executed tests as specified in the "EXECUTION" section of the "README" file located at the top level of the conformance test source tree.

## D6. Passing Criteria

A Conformant Implementation must pass: all OpenKODE Core tests, all tests for all extensions supported by this implementation, and all relevant test cases appropriate to the included media APIs, with no changes to any Test source other than for compensating for bugs in the test or the specification. All media APIs included in the Implementation must have individual Successful Submissions at the time of the OpenKODE Submission.

## D7. Review Period

30 Days

## D8. Conformant Product Criteria

Conformant Products must be similar to the Conformant Implementation in the following ways:

- each Conformant Product must use the identical Specification binaries or new versions of the binaries that contain only bug fixes and no new OpenKODE functionality and that do not cause any previously passing test to fail;
- each Conformant Product must use the same or similar (as defined by the individual media API Conformant Product Criteria) implementation of all submitted media APIs;
- each submitted media API must be conformant on each Conformant Product (as defined by the individual media API Conformant Product Criteria);
- each Conformant Product must use the same major and minor version of the same OS or platform (including UI framework if appropriate);
- each Conformant Product must use no extra IO indexes that are in the Specification;
- each Conformant Product must use the same CPU version or a different CPU version that has no impact on OpenKODE functionality.

## D9. Marks and Usage Guidelines

The following usage guidelines must be followed for any use of the Marks below:

- "™" must be used as shown with the first use of the written Mark in a document
- the following text must be included in each document that uses the Marks: "OpenKODE and the OpenKODE logo are trademarks of the Khronos Group Inc."

(i) OpenKODE™

(ii) OpenKODE Logo:



The following usage guidelines can be used to optionally indicate which media APIs are included in the Conformant Implementation, note each API listed must have the appropriate ® or ™:

(i) OpenKODE™ (with OpenGL® ES, OpenVG™)

(ii) OpenKODE™ 1.0 (with OpenGL® ES 1.1, OpenVG™ 1.0)

Any further details of a Conformant Implementation as defined in the Submission Package section above may also be listed.

# Attachment E

## OpenGL SC Conformance Process Details

### E1. Change History and Version

- **May09** – OpenGL SC 1.0 Adopters Program released

### E2. Paid Specification Versions Covered

OpenGL SC 1.0 including minor release updates (i.e. OpenGL SC 1.0.1 / 1.0.2 etc. are covered).

### E3. Conformance Fees

	<b>Khronos Member</b>	<b>Non-member</b>
<b>OpenGL SC 1.0 and minor specification updates</b>	\$20K	\$25K

### E4. Test Source Code Packaging

The source code for the Tests is packaged in a gnu-zipped tar file. It is named using the following format: conformsc-<OpenGL SC version>r<revision number>-<year><month><day>.tgz. The revision number is incremented for every bug fix release of the Tests targeted at a specific version of OpenGL SC. When the tar file is made, a tag is added to the conformance test SVN repository so that Adopters can sync the SVN tree against a particular bugfix release. The SVN tag of a particular revision of the Tests has the same name as the gnu-zipped tar file, without the .tgz extension.

### E5. Submission Package

A Submission must contain the following information contained in the top level directory of a zip file:

- Submission information in a file called "submission\_details.txt" in the format defined in the OpenGL SC Implementation Details Template document "submission\_details\_template.txt";
- A file called "build\_information.txt" listing any source files changed to fix bugs and summarizing the build procedure. Any detailed build information or make files are optional, but build information for the Conformance Tests may be submitted to clarify the submission and reduce the chance for queries and delays;
- A folder containing the source of all tests edited to fix bugs, with all generated files such as objects and libraries removed, together with annotated diff files making it clear what changes have been made and for what reason;
- The submission\_details.txt and build\_information.txt files must each be plain text files readable in a simple text editor;
- All result logs for all executed tests as specified in the "EXECUTION" section of the "README" file located at the top level of the conformance test source tree.

## E6. Passing Criteria

A Conformant Implementation must pass: all tests, all tests for all extensions supported by this implementation with no changes to any Test source other than for compensating for bugs in the test or the specification.

## E7. Review Period

30 Days

## E8. Conformant Product Criteria

Conformant Products must be similar to the Conformant Implementation in the following ways:

- the identical rendering pipeline – i.e. identical binaries and/or accelerator data path to the display, or if a JIT compiler is used to generate binaries then the use of the identical JIT compiler binary, or new versions of the binaries and/or accelerator data path or JIT compiler binary that do not cause any previously passing test to fail;
- the same major version of the same OS that uses substantially similar display functionality or minor version updates to the OS that do not cause any previously passing test to fail;
- the identical set, or a subset, of supported configs. Different display resolutions are permitted.

## E9. Marks and Usage Guidelines

The following usage guidelines must be followed for any use of the Marks below:

- “®” must be used as shown with the first use of the written Mark in a document
- the following text must be included in each document that uses the Marks: “OpenGL is a registered trademark and the OpenGL SC logo is a trademark of Silicon Graphics Inc. used by permission by Khronos.”

(i) OpenGL® SC

(ii) OpenGL SC Logo:



# Attachment F

## OpenCL Conformance Process Details

### F1. Change History and Version

- **May 2009** – OpenCL 1.0 Adopters Program released
- **May 2010** – OpenCL 1.1 Adopters Program Added
- **March 2011** – OpenCL 1.2 Adopters Program added

### F2. Paid Specification Versions Covered

OpenCL 1.0, OpenCL 1.1 and OpenCL 1.2 including minor specification updates prior to next major specification release.

### F3. Conformance Fee Schedule

	<b>Academic Member or Academic Adopter</b>	<b>Khronos Member</b>	<b>Non-member</b>
<b>OpenCL 1.0, OpenCL 1.1, OpenCL 1.2 and minor specification updates</b>	\$1,500	\$10,000	\$15,000

### F4. Test Source Code Packaging

The source code for the OpenCL Conformance Tests is packaged in a gnu-zipped tar file. The file name has the format: conformcl-<X.Y>r<Z.W> -<year><month><day>.tgz. Here <X.Y> is the version of the OpenCL Specification to which the test applies, <Z> is the major revision number of the conformance test, and <W> is the minor revision number of the test. Changes in test minor revision number reflect changes intended to correct bugs or improve portability and maintainability of the tests. Changes in major revision number reflect changes that significantly expand test coverage and/or impose stricter Passing Criteria. For example, a test labeled conformcl-1.0r1.0-20090212.tgz applies to OpenCL 1.0, and is version 1.0 of the conformance test, released on February 12<sup>th</sup>, 2009.

When a new test release is created, a tag is added to the conformance test Subversion (SVN) repository so that Adopters who wish to can sync the SVN tree against a particular bugfix release. The SVN tag for a release has the same name as the .tgz file, without the .tgz extension.

### F5. Submission Package

A Submission must contain the following information contained in the top level directory of a zip file:

- Submission information in a file called "submission\_details.txt" in the format defined in the OpenCL Implementation Details Template document "submission\_details\_template.txt";

- A file called "build\_information.txt" that summarizes the build procedure and lists a filed Bugzilla bug number for every source change required to fix bugs, where each Bugzilla entry details what changes have been made and for what reason. Any detailed build information or make files are optional, but build information for the Conformance Tests may be submitted to clarify the submission and reduce the chance for queries and delays;
- A folder containing the source of all tests edited to fix bugs, with all generated files such as objects and libraries removed, together with annotated diff;
- The submission\_details.txt and build\_information.txt files must each be plain text files readable in a simple text editor;
- All result logs for all executed tests.

Platforms and Devices are handled in Submissions according to the following rules:

- Conformance can be claimed separately for a Platform or Device, but every Submission must contain a Platform and at least one Device;
- A Device is tested against the version of the tests for the claimed version of Conformance;
- If Conformance is claimed for a platform – it must have at least one conformant device at the claimed specification version;
- A Submission can contain multiple device test results by including a log file per device, together with a completed template for the entire submission.

## F6. Passing Criteria

A Conformant Implementation must pass all tests, including all tests for reported extensions, with no changes to any Test source other than as reported in Bugzilla entries.

A Submission for an OpenCL 1.0 Device on an OpenCL 1.1 Platform may be run using the '<OPENCL1.0 ENV VAR HERE>' environment variable.

The specification version tested must be reported for the Platform and each device. Each OpenCL device may be tested at the same or lower version number than the Platform. The Platform and at least one device must be tested at the Version of the specification that conformance is claimed for.

A Submission for Implementations that would be Conformant Products under an existing Submission according to the criteria in section F8, except for the use of a different OS, may use the 'wimpy' mode of the test\_conversions and bruteforce conformance sub-tests.

All tests must use the ICD if an ICD is present on the Conformant Product.

## F7. Review Period

30 Days

## F8. Conformant Product Criteria

Conformant Products may be OpenCL Devices or Platforms. Conformant Products must be similar to the Conformant Implementation in the following ways:

- For OpenCL Devices each Conformant Product must use:
  - the materially equivalent device ISA and binaries or version updates to binaries that do not cause any previously passing test to fail;
  - the same major and minor version of OpenCL with the same set or a subset of supported extensions;

- a conformant OpenCL Platform at an OpenCL version equal to or higher than the platform used to test the Device provided that no previously passing tests fail.
- For OpenCL Platforms each Conformant Product must use:
  - the same major version of the same OS (or different flavors of Linux with the same major and minor version of the OS kernel) or minor version updates to that OS that do not cause any previously passing test to fail; or the equivalent driver model version or minor version updates to the driver model that do not cause any previously passing test to fail;
  - the materially equivalent host ISA;
  - the same major and minor version of OpenCL with the same set or a subset of supported extensions;
  - the materially equivalent math library used while running the tests, or minor version updates to the math library that do not cause any previously passing test to fail;
  - the same OpenCL Device, or other Conformant OpenCL Devices that do not cause any previously passing test to fail;
  - the same OpenCL ICD, if present, or a later version of the ICD that does not cause any previously passing test to fail.


## F9. Marks and Usage Guidelines

The following usage guidelines must be followed for any use of the Marks below:

- "TM" must be used as shown with the first use of the written Mark in a document
- the following text must be included in each document that uses the Marks: "OpenCL and the OpenCL logo are trademarks of Apple Inc. used by permission by Khronos."

(i) OpenCL™

(ii) OpenCL Logo:



# Attachment G

## OpenGL ES Conformance Process Details

### G1. Change History and Version

- **May 2009** – OpenGL ES 1.0 Adopters Program released

### G2. Paid Specification Versions Covered

OpenGL ES 1.0 including minor release updates (i.e. all OpenGL ES 1.x versions are covered).

### G3. Conformance Fee

	Khronos Member	Non-member
OpenGL ES 1.0 and minor specification updates	\$10K	\$15K

### G4. Tests Source Code Packaging

The source code for the Tests is packaged in a gnu-zipped tar file. It is named using the following format: conformes-`<OpenGL-ES version>r<revision number>-<year><month><day>.tgz`. The revision number is incremented for every bug fix release of the Tests targeted at a specific version of the Specification. When the tar file is made, a tag is added to the conformance test SVN repository so that Adopters can sync the SVN tree against a particular bugfix release. The SVN tags use the following format: OSLES-`<major version>-<minor version>-rev<revision number>`.

### G5. Submission Package

A Submission must contain the information defined in the Submission section of the process document PLUS all of the following Specification specific information:

- Identification of the Implementation including: the CPU running the Specification, the OS and the Specification pipeline – including version numbers;
- The result log (output) for the executed tests, run in the order and with the parameters specified in the "EXECUTION" section of the "README" file located at the top level of the conformance test source tree;
- The complete source of the executed tests together with an annotated diff file containing any source changes packaged as a ZIP archive file (.zip) or gnuzip compressed tarball (.tar.gz) rooted at the top level of the conformance test source tree in the same way as the distributed tarball, with all generated files such as objects and libraries removed, and with a README-`<company name>` at the top summarizing the changed files. The annotations should make it clear what changes have been made and for what reason;
- The result log, README-`<company name>`, and statement of conformance must each be plain text files readable in a simple text editor;

### G6. Passing Criteria

- Conformance can be claimed for one or more profiles of OpenGL ES ("Phone", "Music" and "Game"). A conformant implementation must unconditionally pass all tests for a profile in order to claim conformance with that profile.
- For the claimed profile(s):

- All mandated minimum requirements (use case) tests must pass, as defined in Section 4.7 of the OpenGL ES specification.
- All mandated object tests and their corresponding mandated interface tests must pass.
- For all optional functionality implemented, the optional objects and corresponding interfaces must also pass the respective conformance tests.

## G7. Review Period

30 Days

## G8. Conformant Product Criteria

Conformant Products must be similar to the Conformant Implementation in the following ways:

- the identical Specification implementation, i.e. identical binaries and/or accelerator data path to the component output, or new versions of the binaries and/or accelerator data path that do not cause any previously passing test to fail;
- the same major version of the same OS that uses substantially similar media processing functionality, or minor version updates to the OS that do not cause any previously passing test to fail.

Conformance tests would have to be re-run (but a re-submission of the results is not required) under the following circumstances:

- If a previously conformant OpenGL ES implementation is using an underlying conformant implementation of another Khronos API (e.g. OpenMAX IL) and there are changes made to that underlying implementation (that are subsequently validated by a re-run of that API's own conformance tests), then the OpenGL ES conformance tests should be re-run as a sanity check to ensure that changes to the underlying implementation have not caused any of the OpenGL ES conformance tests to fail.
- If a previously conformant OpenGL ES implementation is interacting with a proprietary implementation of another software module (e.g. DRM) and there are no interfaces into this module from OpenGL ES, then any changes to this software module (e.g. one DRM agent replaced by another one of similar functionality) would necessitate a re-run of the OpenGL ES conformance tests, as a sanity check, to ensure that the changes to this module do not cause any conformance test failures.

Conformance tests would have to re-run and results re-submitted under the following circumstances:

- If a previously conformant OpenGL ES implementation is interacting with a proprietary implementation of another software module (e.g. 3D Audio, purchasing) and there are interfaces into this software module from OpenGL ES, then any changes to this software module shall necessitate a re-run **and** re-submission of the OpenGL ES conformance tests to ensure that the changes to this module do not cause any conformance test failures.
- If a previously conformant OpenGL ES implementation is extended with additional functionality, such as extending support for an additional profile, it shall necessitate a re-run **and** re-submission of the OpenGL ES conformance tests covering the previous and new functionality to ensure that the added functionality does not cause any previously passed conformance test to fail, and that the new functionality is conformant.



# Attachment H

## OpenMAX AL Conformance Process Details

### H1. Change History and Version

- **June 2009** – OpenMAX AL 1.0 Adopters Program released
- **Sept 2009** – Minor typos fixed. All tracked changes accepted. Logos added.

### H2. Paid Specification Versions Covered

OpenMAX AL 1.0 including minor release updates (i.e. all OpenMAX AL 1.x versions are covered).

### H3. Conformance Fee

	Khronos Member	Non-member
OpenMAX AL 1.0 and minor specification updates	\$10K	\$15K

### H4. Tests Source Code Packaging

The source code for the Tests is packaged in a gnu-zipped tar file. It is named using the following format: conformes-**<OpenMAX-AL version>**r**<revision number>**-**<year><month><day>.tgz**. The revision number is incremented for every bug fix release of the Tests targeted at a specific version of the Specification. When the tar file is made, a tag is added to the conformance test SVN repository so that Adopters can sync the SVN tree against a particular bugfix release. The SVN tags use the following format: OMXAL-**<major version>**-**<minor version>**-rev**<revision number>**.

### H5. Submission Package

A Submission must contain the information defined in the Submission section of the process document PLUS all of the following Specification specific information:

- Identification of the Implementation including: the CPU running the Specification, the OS and the Specification pipeline – including version numbers;
- The result log (output) for the executed tests, run in the order and with the parameters specified in the "EXECUTION" section of the "README" file located at the top level of the conformance test source tree;
- The complete source of the executed tests together with an annotated diff file containing any source changes packaged as a ZIP archive file (.zip) or gunzip compressed tarball (.tar.gz) rooted at the top level of the conformance test source tree in the same way as the distributed tarball, with all generated files such as objects and libraries removed, and with a README-**<company name>** at the top summarizing the changed files. The annotations should make it clear what changes have been made and for what reason;
- The result log, README-**<company name>**, and statement of conformance must each be plain text files readable in a simple text editor;

### H6. Passing Criteria

- Conformance can be claimed for one or more profiles of OpenMAX AL ("Media Player" and "Media Player/Recorder"). A conformant implementation must unconditionally pass all tests for a profile in order to claim conformance with that profile.

- In addition to a profile or profiles, conformance can be claimed for the “+ MIDI” optional extension. A conformant implementation must unconditionally pass all tests for this extension in order to claim conformance with that extension.
- For the claimed profile(s):
  - All mandated object tests and their corresponding mandated interface tests must pass.
- For all optional functionality implemented, the optional objects and corresponding interfaces must also pass the respective conformance tests.

## H7. Review Period

30 Days

## H8. Conformant Product Criteria

Conformant Products must be similar to the Conformant Implementation in the following ways:

- the identical Specification implementation, i.e. identical binaries and/or accelerator data path to the component output, or new versions of the binaries and/or accelerator data path that do not cause any previously passing test to fail;
- the same major version of the same OS that uses substantially similar media processing functionality, or minor version updates to the OS that do not cause any previously passing test to fail.

Conformance tests would have to be re-run (but a re-submission of the results is not required) under the following circumstances:

- If a previously conformant OpenMAX AL implementation is using an underlying conformant implementation of another Khronos API (e.g. OpenMAX IL) and there are changes made to that underlying implementation (that are subsequently validated by a re-run of that API's own conformance tests), then the OpenMAX AL conformance tests should be re-run as a sanity check to ensure that changes to the underlying implementation have not caused any of the OpenMAX AL conformance tests to fail.
- If a previously conformant OpenMAX AL implementation is interacting with a proprietary implementation of another software module (e.g. DRM) and there are no interfaces into this module from OpenMAX AL, then any changes to this software module (e.g. one DRM agent replaced by another one of similar functionality) would necessitate a re-run of the OpenMAX AL conformance tests, as a sanity check, to ensure that the changes to this module do not cause any conformance test failures.

Conformance tests would have to be re-run and results re-submitted under the following circumstances:

- If a previously conformant OpenMAX AL implementation is interacting with a proprietary implementation of another software module (e.g. purchasing) and there are interfaces into this software module from OpenMAX AL, then any changes to this software module shall necessitate a re-run **and** re-submission of the OpenMAX AL conformance tests to ensure that the changes to this module do not cause any conformance test failures.
- If a previously conformant OpenMAX AL implementation is extended with additional functionality, such as extending support for an additional profile, it shall necessitate a re-run **and** re-submission of the OpenMAX AL conformance tests covering the previous and new functionality to ensure that the added functionality does not cause any previously passed conformance test to fail, and that the new functionality is conformant.

## H9. Marks and Usage Guidelines

The following usage guidelines must be followed for any use of the Marks below:

- "™" must be used as shown with the first use of the written Mark in a document;
- the following text must be included in each document that uses the Marks: "OpenMAX AL and the OpenMAX AL logo are trademarks of the Khronos Group Inc."

(i) OpenMAX AL™

(ii) OpenMAX AL Logo:



The above logo is for use in documents and presentations referring to the OpenMAX AL API in general. When discussing a specific OpenMAX AL implementation, one of the following profile combination specific logos must be used. The logo used must reflect the profiles claimed at the time of conformance:



# Attachment I COLLADA Conformance Process Details

## I1. Change History and Version

- Apr 2007 – first version attached to generic process document.
- Jun 2007 – second version with badge logos and implementation description.
- Sep 2009 – third version updated for first public release.
- Oct 2009 – fourth version with changes from Phoenix F2F.
- Dec 2009 – fifth version with updated badge logos and package descriptions.
- Oct 2010 – sixth version with updated submission package to point to external document. Updated conformance fees to match web site.

## I2. Paid Specification Versions Covered

This attachment covers the COLLADA specification version 1.4 including minor specification updates (e.g. COLLADA 1.4.0, and 1.4.1 are covered, etc.).

## I3. Conformance Fees

The Conformance Fee and Upgrade Conformance Fee for each version of the Specification are listed below:

	<b>Academic Member or Academic Adopter</b>	<b>Khronos Member Fee</b>	<b>Non-member Fee</b>
<b>COLLADA 1.4 and minor specification updates</b>	\$1K	\$6k (Adopter's gross revenue > \$50M) \$3k (Adopter's gross revenue < \$50M)	\$11k (Adopter's gross revenue > \$50M) \$8k (Adopter's gross revenue < \$50M)

## I4. Tests Source Code Packaging

The source code for the Tests is packaged in a zip file. It is named using the following format:

COLLADA-<COLLADA version>-CTS<revision number>-<year><month><day>.zip

The revision number is incremented for every bug fix release of the Tests targeted at a specific version of the Specification. The date is also updated. For example:

COLLADA-1.4-CTS-0.9.0-20091210.zip

COLLADA-1.4-CTS-1.0.0-20100201.zip

COLLADA-1.4-CTS-1.0.1-20100207.zip

When the zip file is made, a tag is added to the conformance test SVN repository so that Adopters can sync the SVN tree against a particular bug fix release. The SVN tags use the following format:

COLLADA-<COLLADA version>-CTS<revision number>--<year><month><day>

For example:

COLLADA-1.4-CTS-0.9.0-20091210

COLLADA-1.4-CTS-1.0.0-20100201

COLLADA-1.4-CTS-1.0.1-20100207

## I5. Submission Package

A Submission must contain the information defined in the Submission section of the Process Document PLUS all of the following Implementation specific information defined in the SubmittingResults.doc file in the Documentation folder. Upload the generated results.zip to the Submission Repository.

## I6. Passing Criteria

A Conformant Implementation must unconditionally pass the “BASELINE” badge tests at minimum. Other tests are run and result in additional badge levels if fully passed.

An Implementation of COLLADA is one of the following:

- A standalone application that can import, export, and render COLLADA documents while running in a specific environment. The environment is specified by the following components: the OS (Linux, Mac OS X, Windows, ...), COLLADA libraries (COLLADA DOM, Crosswalk SDK, FCollada, OpenCOLLADA, ...) and supporting libraries (Java, libc, libxml2, Cocoa, MFC, MSXML, ...) – including version numbers for all components.
- An application plugin or codec that can import, export, and render COLLADA documents while running in a specific environment. The environment is specified by the following components: the OS (Linux, Mac OS X, Windows, ...), the application plugin SDK (Max, Maya, SoftImage, ...), COLLADA libraries (COLLADA DOM, Crosswalk SDK, FCollada, OpenCOLLADA), and supporting libraries (Java, libc, libxml2, Cocoa, MFC, MSXML, ...) – including version numbers for all components.

A COLLADA library is one that parses and semantically understands COLLADA content.

## I7. Review Period

30 Days.

## I8. Conformant Product Criteria

Conformant Products must be similar to the Conformant Implementation in the following ways:

- The identical Implementation or the same major versions of the Implementation (as defined in Section H6. Passing Criteria) that contains only bug fixes and new features that do not cause any previously passing test to fail.
- The identical set or COLLADA specific subset of the Implementation that may be combined with code not used by the Implementation that does not cause any previously passing test to fail.

## 19. Marks and Usage Guidelines

The following usage guidelines must be followed for any use of the Marks below:

- “™” must be used as shown with the first use of the written Mark in a document
- the following text must be included in each document that uses the Marks: “COLLADA, the COLLADA logo and COLLADA badge logos are trademarks of the Khronos Group Inc.”

(i) COLLADA™

(ii) COLLADA™ Logo:



(iii) COLLADA™ BASELINE Logo:



(iv) COLLADA™ SUPERIOR Logo:



(v) COLLADA™ EXEMPLARY Logo:



# Attachment J

## OpenWF Conformance Process Details

### J1. Change History and Version

- **November 2008** – first version attached to generic process document
- **3 August 2009** – Added section on changes to test thresholds
- **25 September 2010** – Added conformance fees

### J2. Paid Specification Versions Covered

OpenWF Display 1.0 including minor release updates.

OpenWF Composition 1.0 including minor release updates.

### J3. Conformance Fees

Conformance Fees for each version of the Specification are given in the table below. Note that Fees for a given version automatically include Fees for all previous versions. New Adopters pay the Nonmember Base Fee for the version they are adopting. Adopters that are Contributing or Promoting Members of Khronos pay the Member Base Fee, which is discounted by \$5K from the Nonmember Base Fee.

	Base conformance fee (Nonmember)	Base conformance fee (Member)
OpenWF 1.0	\$15K	\$10K

### J4. Test Source Code Packaging

#### J4.1 OpenWF Composition

The source code for the OpenWF Conformance Tests is packaged in a gnu-zipped tar file.

The file name has the format:

WFC-CTS-<X.Y>-<Z>.<W>-<year><month><day>.tgz.

Here <X.Y> is the version of the OpenWF Composition Specification to which the test applies, <Z> is the major revision number of the conformance test, and <W> is the minor revision number of the test. Changes in minor revision number reflect changes intended to correct bugs or improve portability and maintainability of the tests.

Changes in major revision number reflect changes that significantly expand test coverage and/or impose stricter Passing Criteria. For example, a test labeled WFC-CTS-1.0-1.0-20090201.tgz applies to OpenWF Composition 1.0, and is version 1.0 of the conformance test, released on February 1st, 2009.

When a new test release is created, a tag is added to the conformance test Subversion (SVN) repository so that Adopters who wish to can sync the SVN tree against a particular bugfix release. The SVN tag for a release has the same name as the .tgz file, without the .tgz extension.

As specified in Section 5 of the Conformance Process Document, Adopters may make

Submissions using any version of the Tests and Process, but are encouraged to use the most recent version that their implementations are able to pass.

All versions of the OpenWF 1.X -source code tree contain a top-level file referred to in this document as “the README file”. Those files define Submission Package format and Passing Criteria, and provide detailed instructions for porting the tests and running them to generate conformance results.

## **J4.2 OpenWF Display**

The source code for the OpenWF Conformance Tests is packaged in a gnu-zipped tar file.

The file name has the format:

WFD-CTS-<X.Y>-<Z>.<W>-<year><month><day>.tgz.

Here <X.Y> is the version of the OpenWF Display Specification to which the test applies, <Z> is the major revision number of the conformance test, and <W> is the minor revision number of the test. Changes in minor revision number reflect changes intended to correct bugs or improve portability and maintainability of the tests.

Changes in major revision number reflect changes that significantly expand test coverage and/or impose stricter Passing Criteria. For example, a test labeled WFD-CTS-1.0-1.0-20090201.tgz applies to OpenWF Display 1.0, and is version 1.0 of the conformance test, released on February 1st, 2009.

When a new test release is created, a tag is added to the conformance test Subversion (SVN) repository so that Adopters who wish to can sync the SVN tree against a particular bugfix release. The SVN tag for a release has the same name as the .tgz file, without the .tgz extension.

As specified in Section 5 of the Conformance Process Document, Adopters may make

Submissions using any version of the Tests and Process, but are encouraged to use the most recent version that their implementations are able to pass.

All versions of the OpenWF 1.X -source code tree contain a top-level file referred to in this document as “the README file”. Those files define Submission Package format and Passing Criteria, and provide detailed instructions for porting the tests and running them to generate conformance results.

## **J5. Submission Package**

The format and contents of a valid Submission Package are defined in the SUBMISSION PACKAGE section of the README file included in the conformance test suite package.

## **J6. Passing Criteria**

A Conformant Implementation must satisfy the requirements specified in the EXECUTION and PASSING CRITERIA sections of the README file included in the conformance test suite package.

## **J7. Review Period**

30 Days

## **J8. Conformant Product Criteria**

Conformance may be claimed for any component-level products necessary for a Conformant Implementation.

Implementations claimed as Conformant Products must be similar to the Conformant Implementation in the following ways:

- the identical rendering pipeline – i.e. identical binaries and/or accelerator data path to the display, or if a JIT compiler is used to generate binaries then the use of the identical JIT compiler binary, or new versions of the binaries and/or accelerator data path or JIT compiler binary that do not cause any previously passing test to fail;
- the same major version of the same OS that uses substantially similar display functionality or minor version updates to the OS that do not cause any previously passing test to fail;
- the identical set, or a subset, of supported configurations. Different display resolutions are permitted.

## J9. Marks and Usage Guidelines

The following usage guidelines must be followed for any use of the Marks below:

- “™” must be used as shown with the first use of the written Mark in a document
- the following text must be included in each document that uses the Marks: “OpenWF is a registered trademark and the OpenWF Display and OpenWF Composition logos are trademarks of Khronos.”

(i) OpenWF™ Composition

(ii) OpenWF™ Display

(iii) OpenWF Composition logo:



(iii) OpenWF Display logo:



## J10. Extending conformance tests to support new color formats

If the implementation supports colors formats not covered by conformance test suite, the adopter must extend the conformance test suite to support the new color formats and apply for the appropriate waivers.

The conformance submission must include all modifications to conformance tests required to support the new formats. These changes include:

- any modifications to test case and test client source code
- any modifications to conversion routines used by tests
- any modification to off-device test configurations and source code
- new off-screen test reference images (not normally required)

New reference images should only be required in exceptional circumstances as most new formats should be comparable to existing reference images using the appropriate tolerance.

It is important for new formats to accurately report their precision (number of colors per channel) via the on-device framework so that the tolerances used when comparing to reference images remain strict.

### **J11. Fixing bugs in conformance tests**

Other than changes needed for porting, the only changes that are permitted are changes to fix bugs in the conformance test. A bug in the conformance test is a behavior which causes clearly incorrect execution (e.g., hanging, crashing, or memory corruption), OR a passing criterion which exceeds what is required by the relevant OpenWF Specification. Changes required to address either of these issues typically require waivers.

#### **Threshold Changes**

Changes to thresholds used to compare test results with reference images must be approved by the working group. In general any weakening of thresholds should be limited to specific sub-tests and specific format categories, rather than weakening the test's default threshold.

Requests to weaken thresholds must be accompanied by images the requestor considers to be "good" that cause the tests to fail when using the old threshold values. Requests to strengthen thresholds must be accompanied by images the requestor considers to be "bad" that cause the tests to succeed when using the old threshold values. The resolution of these images must match that of the default reference images provided with the CT so they are directly comparable.

### **J12. Waivers**

The procedure to for requesting a waiver is to report the issue by filing a bug report in Bugzilla (<https://cvs.khronos.org/bugzilla/>). When you create your submission package, include the waivers as described in the adopters agreement. Including as much information as possible (including attachments of suggested file changes) will ensure the issue can be progressed as speedily as possible.